












Above All Lighting & Bulbs Inc















516.766.2266 Fax: 516.766.2299

E-mail: Quotes@allbulbs.com











Dealer LED Lamps: JUNE 2011












Type	DESCRIPTION	CASE	RETAIL
A LINE	LED 1 A15 R /TP GE	3	25.61
	LED 1 A15 B /TP GE	3	25.61
	LED 1 A15 G /TP GE	3	25.61
	LED 2 A15 W/TP GE	3	27.36
	LED 2 A15 C/TP GE	3	27.36
	LED 2 A15 W	3	26.69
	LED 2 A15 CLEAR	3	26.69
	LED 3w A15/W/TP GE	3	32.32
	LED 3w A15/C/TP GE	3	32.32
	LED 7w A19/DIM/WW 3k DIMMABLE A19 Lum 310 3yr Warrenty	3	95.14
	LED 7w A19/DIM/NDL 5k DIMMABLE A19 Lum 350 3yr Warrenty	3	95.14
	LED 7w A19 /END/2700-325 120V Philips	3	51.22
	LED 8w A / DIM /F/830 Osram	3	90.58
	LED 8w A19 /END/27K/120V/DIMM Philips	3	53.91
	LED 9w A19 /830/CD GE	3	0.00
	LED 9w A19 /830	3	84.91
	LED 12w A19 /END/2700K/120V/DIMM Philips	3	88.95
			0.00
BOWL	LED Color Changing BOWL12Lx11Wx5.2H	1	0.00
	White , Red , Blue , Green , Yellow	1	0.00
	freeze color & color transition per 13 seconds, 2.5hr charge = 10Hr Life	1	0.00
			0.00
BR20 BR30 BR40 R20 R30 R40			0.00
	LED R20 6w R20 /END/F22 3000K DIMM Philips	6	45.83
	LED R20 6w R20 /END/F22 2700K DIMM Philips	6	45.83
	LED 10w BR30 Par30 10W WW 120° Lumens 410 2yr Limited War.	6	191.60
	LED 10w BR30 Par30 10W WW 60° * Lumens 410 2yr Limited War.	6	191.60
	LED 10w BR30 Par30 10W TW 120° Lumens 620 2yr Limited War.	6	191.60
	LED 10w BR30 Par30 10W TW 60° * Lumens 620 2yr Limited War.	6	191.60
	LED 12w BR30 Par30 12W WW 120° 560Lumens 2yr Warrenty	6	224.63
	LED 12w BR30 Par30 12W WW 60° * 560Lumens 2yr Warrenty	6	224.63
	LED 12w BR30 Par30 12W TW 120° 700Lumens 2yr Warrenty	6	224.63
	LED 12w BR30 Par30 12W TW 60° * 700Lumens 2yr Warrenty	6	224.63
	LED 15w BR30 15W CW 3K Lum 520 Beam 60° 2yr Ltd Warrenty	6	211.42
	LED 15w * BR30 15W CW 3K Lum 520 Beam 120° 2yr Ltd Warrenty	6	211.42
	LED 15w BR30 15W TW 6K Lum 800 Beam 60° 2yr Ltd Warrenty	6	211.42
	LED 15w * BR30 15W TW 6k Lum 800 Beam 120° 2yr Ltd Warrenty	6	211.42

	LED 15w BR40 PAR38 WW 3k Lumens 520 60° 2yr Ltd Warrenty	6	251.06
	LED 15w BR40 PAR38 WW 3k Lumens 520 120° 2yr Ltd Warrenty	6	251.06
	LED 15w BR40 PAR38 TW 6k Lumens 520 60° 2yr Ltd Warrenty	6	251.06
	LED 15w BR40 PAR38 TW 6k Lumens 520 120° 2yr Ltd Warrenty	6	251.06
	LED 20W WW BR40 Par38 3k 60° * Lum 740	6	277.49
	LED 20W WW BR40 Par38 3k 120° Lum 740	6	277.49
	LED 20W TW BR40 Par38 6k 60° * Lum1100	6	277.49
	LED 20W TW BR40 Par38 6k 120° Lum1100	6	277.49
			0.00
R20	LED R20 UV White or Blk E26 (0-100%) DIMMABLE UL 1-35pc	1	169.03
	LED R20 White or Blk 2600K 120v/110v E26 (0-100%) DIMMABLE UL 1-35pc	1	147.89
	LED R20 White or Blk 2700K 120v/110v E26 (0-100%) DIMMABLE UL 1-35pc	1	147.89
	LED R20 White or Blk 3500K 120v/110v E26 (0-100%) DIMMABLE UL 1-35pc	1	147.89
	LED R20 White or Blk 4500K 120v/110v E26 (0-100%) DIMMABLE UL 1-35pc	1	147.89
R30	LED R30 UV White or Blk E26 (0-100%) DIMMABLE UL 1-35pc	1	179.60
	LED R30 White or Blk 2600K 120v/110v E26 (0-100%) DIMMABLE UL 1-35pc	1	158.46
	LED R30 White or Blk 2700K 120v/110v E26 (0-100%) DIMMABLE UL 1-35pc	1	158.46
	LED R30 White or Blk 3500K 120v/110v E26 (0-100%) DIMMABLE UL 1-35pc	1	158.46
	LED R30 White or Blk 4500K 120v/110v E26 (0-100%) DIMMABLE UL 1-35pc	1	158.46
R20	LED R20 UV White or Blk E26 (0-100%) DIMMABLE UL 36-107pc	1	147.91
	LED R20 White or Blk 2600K 120v/110v E26 (0-100%) DIMMABLE UL 36-107pc	1	129.42
	LED R20 White or Blk 2700K 120v/110v E26 (0-100%) DIMMABLE UL 36-107pc	1	129.42
	LED R20 White or Blk 3500K 120v/110v E26 (0-100%) DIMMABLE UL 36-107pc	1	129.42
	LED R20 White or Blk 4500K 120v/110v E26 (0-100%) DIMMABLE UL 36-107pc	1	129.42
R30	LED R30 UV White or Blk E26 (0-100%) DIMMABLE UL 36-107pc	1	157.16
	LED R30 White or Blk 2600K 120v/110v E26 (0-100%) DIMMABLE UL 36-107pc	1	138.67
	LED R30 White or Blk 2700K 120v/110v E26 (0-100%) DIMMABLE UL 36-107pc	1	138.67
	LED R30 White or Blk 3500K 120v/110v E26 (0-100%) DIMMABLE UL 36-107pc	1	138.67
	LED R30 White or Blk 4500K 120v/110v E26 (0-100%) DIMMABLE UL 36-107pc	1	138.67
	LED R30 8w R30 SW	3	213.93
			0.00
C6 String Lts	LED C6 CW XMAS / C6/CW 35Lt C6 LED X-MAS WH	4	34.22
	LED C6 MC XMAS / C6/MC 35Lt C6 LED X-MAS MULTicolor Retail Pk	4	28.94
	LED C7 CW XMAS / C7/CW 25Lt C7 LED X-MAS WHITE	4	44.79
	LED C7 MC XMAS / C7/MC 25Lt C7 LED X-MAS MULTicolor	4	34.22
	LED C7 Clear (E17base.35w,120v, 50kHr, 2-15/16" 25/100)	25	3.57
	LED C7 Yellow	25	3.57
	LED C7 Blue	25	3.57
	LED C7 Green (E17base.35w,120v, 50kHr, 2-15/16" 25/100)	25	3.57
	LED C7 Orange	25	3.57
	LED C7 Pink	25	3.57
	LED C7 Red (E17base.35w,120v, 50kHr, 2-15/16" 25/100)	25	3.57
	LED C7 Purple	25	3.57
	LED 1w C7 / W /CD2 GE	20	17.52
	LED 1w C7 / C /CD2 GE	20	17.52
	LED C9 Clear (E17base.35w,120v, 50kHr, 2-15/16" 25/100)	25	4.10
	LED C9 Yellow	25	4.10
	LED C9 Blue	25	4.10

	LED C9 Green	25	4.10
	LED C9 Orange (E17base.35w,120v, 50kHr, 2-15/16" 25/100)	25	4.10
	LED C9 Pink	25	4.10
	LED C9 Red	25	4.10
	LED C9 Purple (E17base.35w,120v, 50kHr, 2-15/16" 25/100)	25	4.10
M5	LED CHN / M5 CW	4	39.51
			0.00
Candelabra	LED 1.7w Cand Base Bent Tip Clear Dimmable 2700K Lumens 60		65.41
	LED 1.7w Cand Base Bent Tip Frosted Dimmable 2700K Lumens 60		65.41
	LED 2w CAM /W/TP (CAM = Candle Med Screw E26) GE		24.93
	LED 2w CAM /C/TP (CAM = Candle Med Screw E26) GE		24.93
	LED 2w CAC /W/TP GE		24.93
	LED 2w CAC /C/TP GE		24.93
	LED 2w CAC - F/ES/TP GE		28.28
	LED 2w CAC - C/ES/TP GE		28.28
	LED 2w CAM -F/ES/TP GE		28.28
	LED 2w CAM -C/ES/TP GE		28.28
	LED 2w B10C / BLUNT /830/HVP Osram		18.87
	LED 2w ETC E26 base	20	52.72
	LED 2w ETC E26 base	20	52.72
	LED 2w CTC E12 base	1	52.72
	LED 2w CTF E12 base	1	54.04
	LED 2w CAC /W E12 GE		24.26
	LED 2w CAC /CLR E12 GE		24.26
	LED 2w BA9 END/CL 2700K 120V Endura Philips	8	29.65
	LED 2w B10 1/2 END/CL 2700K 120V Endura Philips	8	29.65
	LED 3w BA9 END/CL WW 120V Endura Philips	8	264.17
	LED 3w BA9 END/FR WW 120V Endura Philips	8	24.26
	LED 3w B10 1 /2 END/CL WW 120V Endura Philips	8	24.26
	LED 3w B10 1 /2 END/FR WW 120V Endura Philips	8	24.26
	LED 3w BA11 /END/CL 2700K DIM Philips		32.35
	LED 3w B11 /END/CL 2700K DIM Philips		32.35
	LED 3w ETC E26 base	20	58.01
	LED 3w ETF E26 base	20	59.33
	LED 4w BA11 /END/2700/E12 Philips		37.74
	LED 4w B11 /END/2700/E12 Philips		37.74
	LED 4w BA11 /END/2700K E26 Philips		37.74
	LED 4w B11 /END/2700K E26 Philips		37.74
	LED 4w F15 /END/2700 E26 Philips		37.74
			0.00
	LED FLICKER /E12 1.5w 2 LED Retro Fit Candles and 2 Sleeves per pack (12)	1	68.58
	LED CAND / W2	1	121.43
	LED CANDLE4 Candles glass vase charging base	4	87.08
	LED SLEEVE/IV	1	40.30
	LED SLEEVE/CM	1	40.30
	LED CANDLE12 Candles glass vase charging base	4	198.07
	LED CAND / SF 4 Silicone Candles & Charger	4	132.01
			0.00

	LED Exit Kit EX-KT (For Exit Light Signs)	12	24.97
			0.00
FESTOON	LED Sym-1227 FESTOON .06w 12v & 24v Beam120 Lumens 44 3yr War.	10	26.30
	LED Sym-1235 FESTOON .06w 12v & 24v Beam 120 Lumens 47	10	26.30
	LED Sym-1250 FESTOON .06w 12v & 24v Beam 120 Lumens 53	10	26.30
	LED Sym-2427 FESTOON .06w 12v & 24v Beam 120 Lumens 44	10	26.30
	LED Sym-2435 FESTOON .06w 12v & 24v 3000K	10	26.30
	LED Sym-2450 FESTOON .06w 12v & 24v 5000K	10	26.30
	LED FESTOON / 12v WW 0.8w T3 3K 72CRI 30kHr	10	15.72
	LED FESTOON / 24v WW 0.8w T3 3K 72CRI 30kHr	10	15.72
			0.00
FLUTE LIGH	LED FLUTE Import	12	277.49
	LED LIGHTFLUTE / COUNTER /12 OSRAM		19.68
			0.00
G12			0.00
	LED G12 4w /WW E26 Med Base 3300K Lumen110 LIQUID LED Water Resistant 2yr warrenty		55.50
	LED G12 4w /CDL E26 Med Base 6300K Lumen140 LIQUID LED Water Resistant 2yr warrenty		55.50
G16	LED 2w G16 C/W/TP GE		25.61
	LED 2w G16 C/C/TP GE		25.61
	LED 2w G16 M/W/TP GE		25.61
	LED 2w G16 M/C/TP GE		25.61
	LED 2w G16 C-W/ES/TP GE		28.28
	LED 2w G16 C-C/ES/TP GE		28.28
	LED 2w G16 M-W/ES/TP GE		28.28
	LED 2w G16 M-C/ES/TP GE		28.28
	LED G16 Blue	12	18.37
	LED G16 Green	12	18.37
	LED G16 Red	12	18.37
	LED G16 Amber	12	18.37
	LED G16 White	12	18.37
G19 	LED G19 / 7 COLORS	12	21.01
G25	LED 2 G25 M/W GE	12	26.69
	LED 2 G25 M/CLR GE	12	26.69
	LED 2 G25 M/W/TP GE	12	27.63
	LED 2 G25 M/C/TP GE	12	27.63
	LED 2 G25 M-W/ES/TP GE	12	32.32
	LED 2 G25 M-C/ES/TP GE	12	32.32
	LED 8 G25 DIM F830 Osram		90.58
			0.00
GROW LIGHT "	LED 5w GL MR16 GX5.3 5W/WW 12v DC 200Lum 30° **	6	48.89
	LED 5w GL MR16 GX5.3 5W/CW 12v DC 250Lum 30° **	6	48.89
	LED 5w GL Par20 BR20 5W WW 80 & 75CRI 150° 130Lum 3yr Warrenty	6	67.39
	LED 5w GL Par20 BR20 5W CW 80 & 75CRI 150° 160Lum 3yr Warrenty	6	67.39
GROW LIGHT "	LED 6w GL Par30 BR30 6W WW 80 & 75CRI 60° * 270Lum 3yr Warrenty	6	96.46
	LED 6w GL Par30 BR30 6W DW 80 & 75CRI 60° * 360Lum 3yr Warrenty	6	96.46
	LED 9w GL Par30 BR30 9W WW 80 & 75CRI 60° * 400Lum 3yr Warrenty	6	0.00
	LED 9w GL Par30 BR30 9W DW 80 & 75CRI 60° * 540Lum 3yr Warrenty	6	0.00
	LED 15w GL Par38 BR40 WW 3K 60° Lum675 80 CRI 3yr Warrenty	6	0.00







	LED 15w GL Par38 BR40 DW 6K 60° Lum640 75 CRI 3yr Warrenty	6	0.00
	LED 8w Hydroponic GL Par30 BR 8W8R1B 1yr War. 140° * RED80/120+BLUE08/12Lum	6	138.74
	LED 8w Hydroponic GL Par30 BR 8W6R3B 1yr War.140° * RED 60/80Lum BLUE 24/36	6	138.74
			0.00
JC	LED JC /12v WW G4 .06w 70CRI 30Lumens 10/50case	10	13.08
	LED JC /12v CW G4 .06w 70CRI 30Lumens 10/50case	10	13.08
JDR	LED JDR 110v ALT E26 WW V4 Cree or Luxeon 25° 420Lum 80CRI AC 2yr War.	10	0.00
	LED JDR 110v ALT E26 TW V4 Cree or Luxeon 25° 420Lum 80CRI AC 2yr War.	10	0.00
			0.00
LIGHT BAR	LED LB 42/35K LIGHT BAR GE Display Case Lighting System		578.21
	LED LB 24/35K LIGHT BAR GE		350.43
	LED LB 30/35K LIGHT BAR GE Display Case Lighting System		438.04
	LED LB 36/35K LIGHT BAR GE		508.12
	LED LB 48/35K LIGHT BAR GE Display Case Lighting System		665.81
	LED LB 54/35K LIGHT BAR GE		718.38
	LED LB 60/35K LIGHT BAR GE Display Case Lighting System		770.94
	LED LB 72/35K LIGHT BAR GE		911.11
	LED LB 24/42K LIGHT BAR GE		350.43
	LED LB 30/42K LIGHT BAR GE Display Case Lighting System		438.04
	LED LB 36/42K LIGHT BAR GE		508.12
	LED LB 42/42K LIGHT BAR GE Display Case Lighting System		578.21
	LED LB 48/42K LIGHT BAR GE		665.81
	LED LB 54/42K LIGHT BAR GE Display Case Lighting System		718.38
	LED LB 60/42K LIGHT BAR GE		770.94
	LED LB 72/42K LIGHT BAR GE		911.11
LIGHT BAR	LED LIGHT BAR MODUAR DESIGN 24v GL-1401IA CW 1.65w 6K 110° 120Lum 15cm		51.53
	LED LIGHT BAR MODUAR DESIGN 24v GL-1401IB WW 1.65w 3k 90LUM 15cm		51.53
	LED LIGHT BAR MODUAR DESIGN 24v GL-1403IA CW 3.3w 6k 250LUM 30cm		70.03
	LED LIGHT BAR MODUAR DESIGN 24v GL-1403IB WW 3.3w 3k 180LUM 30cm		70.03
	LED LIGHT BAR MODUAR DESIGN 24v GL-1406IA CW 6.6w 6k 500LUM 60cm		112.32
	LED LIGHT BAR MODUAR DESIGN 24v GL-1406IB WW 6.6w 3k 360LUM 60cm		112.32
	LED LIGHT BAR MODUAR DESIGN 24v GL-1409IA CW 9.9w 6k 750LUM 90cm		157.24
	LED LIGHT BAR MODUAR DESIGN 24v GL-1409IB WW 9.9w 3k 540LUM 90cm		157.24
	LED LIGHT BAR MODUAR DESIGN 24v GL-1412IA CW 13.2w 6k 1000LUM 120cm		206.13
	LED LIGHT BAR MODUAR DESIGN 24v GL-1412IB WW 13.2w 3k 740LUM 120cm		206.13
	LED LIGHT BAR Connector LS-PP (pin to pin for extending)		0.92
	LED LIGHT BAR Connector Power Line LS-PLP (male pin to male pin w line for extend)		5.95
	LED LIGHT BAR Connector Power Line LS-PLP-100FM (male pin to female w/line		7.93
	LED LIGHT BAR Connector Power Line LS-PLP-UJ (pin to pin with line)		3.96
	LED LIGHT BAR Connector Power Line LS-PL power line (pin to adapter)		6.21
	LED LIGHT BAR Connector Power Line LS-PL power line (pin to adapter)		7.27
	LED LIGHT BAR Connector Power Line LS-PL-RA (right angle) power line		7.27
	LED LIGHT BAR Connector Power Line LS-PL-RA (right angle) power line		9.51
LIGHT BAR	LED LIGHT BAR Connector LS-M1 (mounting clip)		0.92
	LED LIGHT BAR Connector LS-M2 (mt clip for 45° view angle)		0.92
	LED LIGHT BAR Connector 24W, 24V wall-mount adaptor. *		0.00
	LED LIGHT BAR *available in 50cm, 100cm, 150cm lengths. Light Bars also in 12V		0.00
	LED LIGHT BAR Connector 4 pin dual male connector (1 free w/each strip)		1.32














	LED LIGHT BAR Driver 12V Driver (up to 8 strips w/ US 120V plug)		0.00
	LED LIGHT BAR Driver 12V Driver (up to 12 strips w/US 120v plug)		0.00
			0.00
LINEAR	LED L4LRE/10V/587/LNRLT LINEAR Osram		37.47
	LED L72LFE/24V/840/PF/G2 LINEAR Osram		1105.20
			0.00
	LED 1.7w 1156 WW MINIATURE Lumens 60		58.14
	LED 1.7w 1156 DW MINIATURE Lumens 60		58.14
			0.00
MOTION 	LED SPYLUX/W Motion Sensor Light	6	158.43
			0.00
MR11 	LED 3.2w MR11 FTB CW 6k Lum160 Beam 12°	10	38.98
	LED 3.2w MR11 FTB WW 3k Lum130 Beam 12°	10	38.98
	LED 2.6w MR11 GBF CW 6k Lum140 Beam30	10	40.96
	LED 2.6w MR11 1383 CW 6k Lum140 Beam30	10	42.28
	LED 0.8w MR11 CW 6000k Lumens 60 Beam 12°	10	9.91
	LED 0.8w MR11 WW 3000k Lumens 54 Beam12 °	10	9.91
	LED 2.4w MR11 GBF WW 3k Lum120 Beam30	10	40.96
	LED 2.4w MR11 1383 WW 3k Lum120 Beam30	10	42.28
MR16 	LED MR16 1w MR16 12v BLUE	10	63.29
	LED MR16 1w MR16 12V GREEN	10	63.29
	LED MR16 1w MR16 12V RED	10	63.29
	LED 1w MR16 12v CREE WW	10	63.29
	LED 1w MR16 12v CREE DL	10	63.29
	LED 1.7w MR16 RED 100 Lux 12v DC GX5.3		16.36
	LED 1.7w MR16 GREEN 100 Lux 12v DC GX5.3		16.36
	LED 1.7w MR16 BLUE 100 Lux 12v DC GX5.3		16.36
	LED 1.7w MR16 CW WHITE 100 Lux 12v DC GX5.3		16.36
	LED 1.7w MR16 YELLOW 100 Lux 12v DC GX5.3		16.36
	LED 2w MR16 / MULTI	10	76.51
	LED 3 /LED/ MR16 / DRAGON /730/NSP6/Counter Osram		35.18
	LED 3 /LED/ MR16 / DRAGON /735/NSP6/Counter Osram		35.18
	LED 3w MR16 WW	10	95.01
	LED 3w MR16 DL	10	95.01
	LED 3w /WW V3 LUXEON 80CRI 12v DC GX5.3 LH MR16 Taiwan 2800K Lum70 - 30°** 2yr War		40.96
	LED 3w /CW V3 LUXEON 80CRI 12v DC GX5.3 Taiwan LH MR16 6k Lum90 - 30°** 2yr Warre		40.96
	LED 3w /WW V3 LUXEON 80CRI 12v DC GX5.3 ALT MR16 3k Lum125 - 38° * 2yr Warrenty		66.07
	LED 3w /TW V3 LUXEON 80CRI 12v DC GX5.3 ALT MR16 6k Lum200 - 38° * 2yr Warrenty		66.07
	LED 3w /WW V3 LUXEON 80CRI 12v DC GX5.3 GL MR16 3k Lum80 - 30°** 2yr Warrenty		33.03
	LED 3w /CW V3 LUXEON 80CRI 12v DC GX5.3 GL MR16 6k Lum100 - 30°** 2yr Warrenty		33.03
	LED 4w MR16 4W1/ NSP/WW 13° CREE 82 CRI 4K 120Lum 12v DC GX5.3 3yr War.		48.89
	LED 4w MR16 4W1/ NFL/WW 22° CREE 82 CRI 3K 120Lum 12v DC GX5.3 3yr War.		48.89
	LED 4w MR16 4W1/ NSP/CW 13° CREE 82 CRI 5K 140Lum 12v DC GX5.3 3yr War.		48.89
	LED 4w MR16 4W1/ NFL /CW 22° CREE 82 CRI 4K 140Lum 12v DC GX5.3 3yr War.		48.89
	LED 4w MR16 4W1/ NFL/NDL 22° CREE 82 CRI 5K 140Lum 12v DC GX5.3 3yr War.		48.89
	LED 4w MR16 /NFL/TP GE		60.52
	LED 4w MR16 /END/3000K 12V Philips		43.13
	LED 4w MR16 /END/4200K Philips		43.13











	LED 4w MR16 /END/2700K 12V Philips		43.13
MR16	LED 4.5w MR16 4.5w/ NFL/WW 24° Cree 80 CRI 3K 210Lum 12v DC GX5.3 3yr War.		59.46
	LED 4.5w MR16 4.5w/ NFL/CW 24° Cree 80 CRI 4K 210Lum 12v DC GX5.3 3yr War.		59.46
	LED 4.5w MR16 4.5w/ NFL/NDL 24° Cree 80 CRI 5K 230Lum 12v DC GX5.3 3yr War.		59.46
	LED 5w ALT MR16 12v DC GX5.3 5W/TW V4 Luxeon 342Lum 38° * 2yr War.		77.96
	LED 5w ALT MR16 12v DC GX5.3 5W/WW V4 Luxeon 214Lum 38° * 2yr War.		77.96
	LED 6w MR16 WW/FL	10	87.08
	LED 6w MR16 WW/NF	10	87.08
	LED 6w MR16 DL/FL	10	87.08
	LED 6 MR16 / DIM /830/NFL25		53.91
	LED 6 MR16 / DIM /830/FL36		53.91
	LED 7w ALT MR16 12v DC GX5.3 BLUE V4 Luxeon 160Lum 38° *		92.50
	LED 7w ALT MR16 12v DC GX5.3 BLUE V4 Luxeon 160Lum 60° *		92.50
	LED 7w ALT MR16 12v DC GX5.3 BLUE V4 Luxeon 160Lum 60° *		92.50
	LED 7w ALT MR16 12v DC GX5.3 RED V4 Luxeon 210Lum 38° *		92.50
	LED 7w ALT MR16 12v DC GX5.3 RED V4 Luxeon 210Lum 60° *		92.50
	LED 7w ALT MR16 12v DC GX5.3 RED V4 Luxeon 210Lum 60° *		92.50
	LED 7w ALT MR16 12v DC GX5.3 GREEN V4 Luxeon 520Lum 60° *		92.50
	LED 7w ALT MR16 12v DC GX5.3 GREEN V4 Luxeon 520Lum 60° *		92.50
	LED 5w MR16 LH 5W/WW Taiwan 175Lum 45° 12v DC GX5.3		74.00
	LED 5w MR16 LH 5W/CW Taiwan 225Lum 45° 12v DC GX5.3		74.00
	LED 7w MR16 ALT 7W/WW V2 Lumens 280 45° * 12v DC GX5.3		88.53
	LED 7w MR16 ALT 7W/WW V3 CREE 80 CRI 2yr War. 12v DC GX5.3 355Lum 38° *		92.50
	LED 7w MR16 ALT 7w/WW V4 Luxeon 420Lum 25° ** "higher lumen" 2yr War. 12v		92.50
	LED 7w MR16 ALT 7W/TW V2 Lumens 350 45° * 12v DC GX5.3		88.53
	LED 7w MR16 ALT 7W/TW V3 CREE 80 CRI 2yr War.GX5.3 475Lum 38° *		92.50
	LED 7w MR16 ALT 7W/TW V4 Luxeon 520Lum 25° ** "higher lumens" 2yr War		92.50
	LED 7w MR16 /END/27K 12V Philips		53.91
	LED 7w MR16 /END/30K 12V Philips		53.91
	LED 7w MR16 /END/40K 12V Philips		53.91
	LED 8w MR16 WWE	10	121.43
	LED 10w MR16 /END/F24 2700K 12V DM Philips		64.69
MR16 GU10	LED 1w GU10 / NFL /CD GE 1-Watt Energy Smart GU10 LED Light Bulb MR16		21.43
	LED 1w MR16 120v GU10 WW	10	63.29
	LED 1w MR16 120v GU10 DL	10	63.29
MR16 GU10	LED 3w MR16 3W/WW GU10 V3 CREE 110v/220V AC 130Lum 38° * 2yr Warrenty		72.68
	LED 3w MR16 3W/WW GU10 V3 CREE 110v/220V AC 130Lum120° 2yr Warrenty		72.68
	LED 3w MR16 3W/WW GU10 V3 CREE 110v/220V AC 130Lum 60° 2yr Warrenty		72.68
	LED 3w MR16 3W/TW GU10 V3 CREE 110v/220V AC 160Lum 38° * 2yr Warrenty		72.68
	LED 3w MR16 ALT 3w/WW GU10 Taiwan 110/220V AC 130 Lum 38° *		64.75
	LED 3w MR16 ALT 3w/TW GU10 Taiwan 110/220V AC 160 Lum 38° *		64.75
	LED 3w GU10 /END/2700 DIM Philips		45.83
	LED 4w GU10 / NFL /CD GE 4-Watt Energy Smart GU10 LED Light Bulb MR16		51.89
	LED 4w GU10 / NFL /CD GE 4-Watt Energy Smart GU10 LED Light Bulb MR16		51.89
	LED 4w GU10 / NFL /CD GE 4-Watt Energy Smart GU10 LED Light Bulb MR16		51.89
	LED 4w GU10 / NFL /TP GE 4-Watt Energy Smart GU10 LED Light Bulb MR16		51.89
	LED 4w MR16 /827/15 GU10 GE		56.47
	LED 4w MR16 /827/25 GU10 GE		56.47

	LED 4w MR16 /827/36 GU10 GE		56.47
	LED 4w MR16 S830/15 GU10 GE		56.47
	LED 4w MR16 S830/25 GU10 GE		56.47
	LED 4w MR16 S830/36 GU10 GE		56.47
	LED 4w GU10 /END/3000 12V LED Philips		43.13
	LED 5w GU10 / NFL /TP GE		64.40
	LED 5w MR16 ALT 5w/WW GU10 V3 Taiwan 110/220V AC 38° * Lum214 80CRI 2yr Warranty		76.64
	LED 5w MR16 ALT 5w/TW GU10 V3 Taiwan 110/220V AC 38° * Lum342 80CRI 2yr Warranty		76.64
	LED 5w MR16 ALT 5w/WW GU10 V4 Luxeon 110/220V AC 38° * Lum214 80CRI 2yr		84.57
	LED 5w MR16 ALT 5w/TW GU10 V4 Luxeon 110/220V AC 38° * Lum342 80CRI 2yr		84.57
	LED 5w MR16 LH- /WW Taiwan 45° GU10 110V/220V AC Lum175 80CRI 2yr Warranty		77.96
	LED 5w MR16 LH- /CW Taiwan 45° GU10 110V/220V AC Lum175 80CRI 2yr Warranty		77.96
	LED 6w MR16 GU10 6w/WW	10	100.29
	LED 6w MR16 GU10 6w/DL	10	100.29
	LED 7w MR16 /WW V4 Luxeon 25° GU10 80CRI 110v/220v AC "higher lumens" 2yr		99.10
	LED 7w MR16 /TW V4 Luxeon 25° 80CRI GU10 110v/220v AC "higher lumens" 2yr		99.10
			0.00
	LED NIGHT LIGHT WHITE	6	8.59
	LED NIGHT LIGHT COLOR CHANGE	6	14.40
	LED NIGHT LIGHT MOTION SILVER	6	25.11
	LED NIGHT POWER FAILURE LIGHT	6	19.69
			0.00
PAR 16 	LED 4 P16 / NFL /CD Par16 GE	6	51.89
	LED 4 P16 S/ NFL /TP Par16 GE	6	51.89
	LED 4 P16 S830/30 Par16 GE	6	51.22
	LED 5 P16 S/ NFL /TP Par16 GE	6	63.32
PAR 20 	LED 2.2w Par20 /36LED/Yellow/FL 40* Yellow Osram	6	17.18
	LED 2.2w Par20 /36LED/RED/FL 40* RED Osram	6	17.18
	LED 2.2w Par20 /36LED/BLUE/FL 40* BLUE Osram	6	17.18
	LED 2.2w Par20 /36LED/GREEN/FL 40* GREEN Osram	6	17.18
		LED 5w PAR20 5W WW 45° 175Lum 2yr Warranty	6
	LED 5w PAR20 5W CW 45° 225Lum 2yr Warranty	6	77.96
	LED 6w PAR20 /2W3/NFL/WW 30° 240Lum 3yr Warranty	6	93.82
PAR 20	LED 7 PAR20 /NFL/CD GE	6	70.76
	LED 7 P20B/830/10 GE	6	70.09
	LED 7 P20B/830/20 GE	6	70.09
	LED 7 PAR20 / NFL /TP GE	6	70.76
	LED 7 P20 B /827/20 Par20 GE	6	70.09
	LED 7 P20W/827/20 Par20 GE	6	70.09
	LED 7 DP20B830/10 DIMMABLE GE	6	75.07
	LED 7 DP20B830/20 GE	6	75.07
	LED 7 DP20B827/20 GE	6	75.07
	LED 7 DP20W830/10 GE	6	78.71
	LED 7 DP20W830/20 GE	6	76.02
	LED 7 DP20W827/20 GE	6	76.02
	LED 7 DP20S830/20 GE	6	76.02
	LED 7DP20S/NFL/TP GE	6	78.71

	LED 7 DP20B827/15 GE	6	75.07
	LED 7w PAR20 /END/F22 27K DIMM Philips	6	45.83
	LED 7w PAR20 /END/F22 30K DIMM Philips	6	45.83
	LED 7w PAR20 /END/F22 42K DIMM Philips	6	45.83
			0.00
	LED 7w PAR30 /1W7/NFL/WW 80CRI 30° * 450Lum 3yr Warrenty	6	162.53
	LED 8 PAR20 / DIM /830/NFL25	6	71.61
	LED 8 PAR20 / DIM /830/FL36	6	75.02
	LED 8w PAR20 WW B	10	121.43
	LED 8w PAR20 DL	10	121.43
			0.00
PAR 30	LED 10w D P30 S830/20	6	96.91
	LED 10w D P30 S827/20	6	96.91
	LED 10w D P3 LS830/20	6	99.60
	LED 10w D P3 LS827/20	6	99.60
	LED 10w D P3 /FL/TP	6	101.35
	LED 10w D P3 L/FL/TP	6	102.43
	LED 10w P30 / NFL /TP Par30 GE	6	97.04
	LED 10w P30 L/ NFL /TP Par30 GE	6	97.04
	LED 10w P30 / NFL / 3PK Par30 GE	6	96.26
	LED 10w P30 L/ NFL 3PK Par30 GE	6	96.26
	LED 10w P30 S830/24 Par30 GE	6	96.26
	LED 10w P3 LS 830/24 GE	6	96.26
	LED 10w P30 S827/24 Par30 GE	6	96.26
	LED 10w P3 LS 827/24 Par30 GE	6	96.26
	LED 11w PAR30 /2700K DIMM Philips	6	105.13
PAR 30	LED 11w PAR30 /3000K DIMM Philips	6	105.13
	LED 11w PAR30 /4200K DIM Philips	6	105.13
	LED 11w PAR30 L/2700K DIMM Philips	6	105.13
	LED 11w PAR30 L/3000K DIMM Philips	6	105.13
	LED 11w PAR30 L/4200K DIM Philips	6	105.13
PAR 30	LED 11w PAR30 25° * OutDoor Rated Length 3.667" 3000K 3yr Warrenty	6	132.14
	LED 11w PAR30 40° OutDoor Rated Length 3.667" 3000K 3yr Warrenty	6	132.14
	LED 11w PAR30 60° OutDoor Rated Length 3.667" 3000K 3yr Warrenty	6	132.14
	LED 11w PAR30 25° * OutDoor Rated Length 3.667" 4300K 3yr Warrenty	6	132.14
	LED 11w PAR30 40° OutDoor Rated Length 3.667" 4300K 3yr Warrenty	6	132.14
	LED 11w PAR30 60° OutDoor Rated Length 3.667" 4300K 3yr Warrenty	6	132.14
	LED 11w PAR30 25° * OutDoor Rated Length 3.667" 6000K 3yr Warrenty	6	132.14
	LED 11w PAR30 40° OutDoor Rated Length 3.667" 6000K 3yr Warrenty	6	132.14
	LED 11w PAR30 60° OutDoor Rated Length 3.667" 6000K 3yr Warrenty	6	132.14
	LED 11w PAR30 S/2700K 120V Philips	6	86.26
	LED 11w PAR30 S/3000K 120V Philips	6	86.26
	LED 11w PAR30 S/4200K 120V Philips	6	86.26
	LED 11w PAR30 L/4200K 120V Philips	6	86.26
	LED 11w PAR30 L/3000K 120V Philips	6	86.26
	LED 11w PAR30 L/2700K 120V Philips	6	86.26
PAR 30	LED 11w PAR30 LN /730/FL30	6	215.65
	LED 11w PAR30 LN /835/FL30	6	215.65

	LED 11w PAR30 WW/D		6	250.93
PAR 30	LED 12w PAR30 /2700K/120V/DIMM Philips		6	115.91
	LED 12w PAR30 /3000K/120V/DIMM Philips		6	115.91
	LED 12w PAR30 /4000K/120V/DIMM Philips		6	115.91
	LED 12w PAR30 L/2700K/120V/DIMM Philips		6	115.91
	LED 12w PAR30 L/3000K/120V/DIMM Philips		6	115.91
	LED 12w PAR30 L/4000K/120V/DIMM Philips		6	115.91
	LED 12w PAR30 /S10/3000K DIM Philips		6	115.91
	LED 12w PAR30 L/S15 2700K DIM Philips		6	115.91
	LED 12w PAR30 L/S15 3000K DIM Philips		6	115.91
	LED 12w PAR30 L/2700K/DIM Philips		6	115.91
	LED 12w PAR30 L/3000K/DIM Philips		6	115.91
	LED 13w PAR30 DL		12	147.86
	LED 13w PAR30 WW		12	147.86
	LED 13w PAR30 LN/835 /FL30 (Long Neck)		6	211.42
	LED 13w PAR30 LN/830/FL30 (Long Neck)		6	211.42
	LED 13w PAR30 BR30 13W WW 40° 450Lumens 2yr Limited War.		6	128.17
	LED 13w PAR30 BR30 13W CW 40° 550Lumens 2yr Limited War.		6	128.17
	LED 14w PAR30 WW/D		12	250.93
	LED 15w PAR30 LN / DIM /830/NFL Osram		6	114.83
	LED 15w PAR30 LN / DIM /830/FL40 Osram		6	114.83
				0.00
PAR 36	LED 1.9W-2.4w C120 PAR36 Red Par36 15° Lumens 156		6	40.96
	LED 1.9W-2.4w C120 PAR36 Yellow Par36 15° Lumens 156 Yellow		6	40.96
	LED 2.0w -2.5w C120 PAR36 Blue Par36 15° Lumens 72		6	46.25
	LED 2.0w -2.5w C120 PAR36 Green Par36 15° Lumens 216		6	48.89
	LED 2.0w -2.5w C120 PAR36 WW Par36 15° 3K Lumens 216		6	51.53
	LED 2.0w -2.5w C120 PAR36 CW Par36 15° 5K Lumens 240		6	51.53
	LED 3.8w -4.8w C120 PAR36 Red Par36 15° Lum 312 Par36		6	46.25
	LED 3.8w -4.8w C120 PAR36 Yellow Par36 15° Lum 312 Par36		6	46.25
	LED 4.0w -5.0w C120 PAR36 Blue Par36 15° Lum 156 Par36		6	51.53
	LED 4.0w -5.0w C120 PAR36 Green Par36 15° Lum 432 Par36		6	54.18
	LED 4.0w -5.0w C120 PAR36 WW Par36 15° 3K Lum 432 Par36		6	59.46
	LED 4.0w -5.0w C120 PAR36 CW Par36 15° 5K Lum 480 Par36		6	59.46
				0.00
Par 38	LED 13w PAR38 /3000K		6	110.52
	LED 15w PAR38 WW/D		12	343.43
	LED 16w PAR38 25° Outdoor Rated Len. 5.333" 50K Hrs 3000K 3yr Ltd Warrenty		6	264.28
	LED 16w PAR38 25° Outdoor Rated Len. 5.333" 50K Hrs 4300K 3yr Ltd Warrenty		6	264.28
	LED 16w PAR38 25° Outdoor Rated Len. 5.333" 50K Hrs 6000K 3yr Ltd Warrenty		6	264.28
	LED 16w PAR38 /FL25 2700K		6	91.65
	LED 16w PAR38 /FL25 4200K		6	91.65
	LED 16w PAR38 /FL25 3000K		6	91.65
	LED 16w PAR38 /2700K DIM		6	110.52
	LED 16w PAR38 /3000K DIM		6	110.52
	LED 16w PAR38 /4200K DIM		6	110.52
	LED 17w P38 S830/15		6	154.86
	LED 17w P38 S830/25		6	154.86

	LED 17w PAR38 /2700K/120V/DIMM Philips	6	121.30
	LED 17w PAR38 /3000K/120V/DIMM Philips	6	121.30
	LED 17w PAR38 /4000K/120V/DIMM Philips	6	121.30
	LED 17w PAR38 /S10/DIM Philips	6	121.30
	LED 17w PAR38 /S15/2700K/DIM Philips	6	121.30
	LED 17w PAR38 /4000K/DIM Philips	6	121.30
PAR 38	LED 17w PAR38 /2700K/DIM Philips	6	121.30
	LED 17w PAR38 /3000K/DIM Philips	6	121.30
	LED 17w P38 S830/17	6	154.86
	LED 17w P38S927/25	6	154.86
	LED 17w P38S927/15	6	154.86
	LED 18w PAR38 / DIM /830/NFL25		120.57
	LED 18w PAR38 / DIM /830/FL40		120.57
	LED 18w PAR38 WW	12	192.79
	LED 18w PAR38 DL	12	192.79
	LED 20w P38 S/FL GE		145.43
	LED 20w P38 S830/40 GE	6	140.17
	LED 20w P38 S830/25 GE	6	140.17
	LED 20w PAR38 /2w10/ NFL /WW 3K 30° * Lum900 3yr War.		224.63
Pool Lights	LED Par30 Edison base 110v CoGlo 72 LEDs Pool Lights	1	0.00
	LED Par60 Edison base 110v CoGlo 202 LEDs Pool Lights	1	0.00
			0.00
Power Failure			0.00
	LED Power Failure Lite 2.4" Sylvania	6	162.53
	LED Power Failure Lite Slim 5" Sylvania 6pk	6	162.53
			0.00
S9 - S15	LED S9 1.6w 12V CW G4 Base Bi-Pin 6k Lumens 50 Beam 120°		14.54
	LED S9 1.8w 12V WW G4 Base Bi-Pin 3k Lumens 115 Beam 120°		14.54
	LED S14 TClear (Transparent color)	10	23.12
	LED S14 TRed (Transparent color)	10	23.12
	LED S14 TGreen (Transparent color)	10	23.12
	LED S14 TBlue (Transparent color)	10	23.12
	LED S14 TAmber (Transparent color)	10	23.12
	LED S14 1.7w Clear White 2700K Lumens 65		70.03
	LED S14 1.7w Clear Red TR Lumens 20		70.03
	LED S14 1.7w Clear Blue TB Lumens 8		70.03
	LED S14 1.7w Clear Green TG Lumens 40		70.03
	LED S14 1.7w Clear Amber TA Lumens 30		70.03
	LED S14 1.7w Clear Orange TO Lumens 70		70.03
	LED S15 0.8w G4 12V CW G4 Base Bi-Pin 6k Lumens 60 Beam 60°/120°	60	9.91
	LED S15 0.7w G4 12V WW G4 Base Bi-Pin 3k Lumens 50 Beam 60°/120°	60	9.91
	LED 0.8w S15 BA15S 12V CW 6k Lumens 60 Bayonette Base	60	10.44
	LED 0.7w S15 BA15S 12V WW 3k Lumens 50 Beam 60°/120° Bayonette Base	60	10.44
	LED 0.8w S15 BA15S/1 12V CW 6k Lumens 60 Beam 60°/120° Bayonette Base	60	11.89
	LED 0.7w S15 BA15S/1 12V WW 3k Lumens 50 Beam 60°/120° Bayonette Base	60	11.89
	LED STEP1WH	1	15.72
	LED STEP1B	1	15.72
	LED STEPJBX	1	19.16

	LED STEP10WH	1	184.86
	LED STEP10B	1	184.86
	LED STEP10SQ	1	211.29
	LED STEP1SQ	1	21.01
	LED STEP10CC	1	264.14
	LED STEP1CC	1	23.65
	LED CABLECC	1	13.08
	LED REMO.CC	1	26.30
			0.00
STRIP LIGHT	LED StripLight EXTENDABLE WATER RESISTANT EPOXY COATED		0.00
	LED StripLight Blue 4.5w 18" 140° EXTENDABLE WATER RESISTANT EPOXY		48.89
	LED StripLight Red 4.5w 18" 140° EXTENDABLE WATER RESISTANT EPOXY		48.89
	LED StripLight Yellow 4.5w 18" 140° EXTENDABLE WATER RESISTANT EPOXY		48.89
	LED StripLight Green 4.5w 18" 140° EXTENDABLE WATER RESISTANT EPOXY		48.89
	LED StripLight CW 4.5w 18" 140° EXTENDABLE WATER RESISTANT EPOXY		48.89
	LED StripLight WW 4.5w 18" 140° EXTENDABLE WATER RESISTANT EPOXY		48.89
			0.00
T8 & T9			0.00
	LED 4w 4T9 /WW E26 Med Base 3300K Lumen110 LIQUID LED Water Resistant 2yr warrenty		55.50
	LED 4w 4T9 /CDL E26 Med Base 6300K Lumen140 LIQUID LED Water Resistant 2yr warrenty		55.50
	LED 11w 11T8 WW /24 2ft 3500K 750Lumens 20,000 hr warranty		99.10
	LED 11w 11T8 CW /24 2ft 4100K 750Lumens 20,000 hr warranty		99.10
	LED 20w 20T8 WW /48 4ft 3500K 1500Lum 20,000 hr warranty		198.21
	LED 20w 20T8 CW /48 4ft 4100K 1500Lum 20,000 hr warranty		198.21
			0.00
TABLE Lt	LED TABLE LAMP	1	0.00
WORK 	LED WORK Light by Sylvania	1	28.94
			0.00
			0.00
WEDGE 	LED WEDGE /12v 0.5w T3 72CRI 2900K 30kHr 10/50	10	21.01
	LED WEDGE /24v 0.7w T3 72CRI 3000K 30kHr 10/50	10	21.01
			0.00
			0.00
	LED 1.7w Cand Base Bent Tip Clear Dimmable 2700K Lumens 60		65.41
	LED 1.7w Cand Base Bent Tip Frosted Dimmable 2700K Lumens 60		65.41
	LED 2w CAM /W/TP (CAM = Candle Med Screw E26) GE		24.93
	LED 2w CAM /C/TP (CAM = Candle Med Screw E26) GE		24.93
	LED 2w CAC /W/TP GE		24.93
	LED 2w CAC /C/TP GE		24.93
	LED 2w CAC - F/ES/TP GE		28.28
	LED 2w CAC - C/ES/TP GE		28.28
	LED 2w CAM -F/ES/TP GE		28.28
	LED 2w CAM -C/ES/TP GE		28.28
	LED 2w B10C / BLUNT /830/HVP Osram		18.87
	LED 2w CTC	1	52.72
	LED 2w CTF	1	54.04
	LED 2w CAC /W E12 GE		24.26

